


Low to medium viscosity quality
applicators for 310 & 400ml cartridges
and 600ml sausages

Specially designed by PC Cox the world's leading
manufacturer of sealant The Midiflow range of manual
applicators is placed between the Cox skeleton and
professional applicator ranges.

Midiflow™



- Smooth trigger operation
- Cox assured quality manufacture
- Ergonomically designed handle

Midiflow™

ROBUST DESIGN and ROBUST CONSTRUCTION

THE NEW MIDIFLOW RANGE

Midiflow offers the same high standards as all Cox applicators and represents excellent value for money.

Available in 2 versions:

- Midiflow Cartridge for 310ml and 400ml cartridges
- Midiflow Combi for 600ml sausages and cartridges with quick change plunger system

Production benefits across the range:

Designed and Manufactured in England

Light and easy to use with new high strength engineering polymer trigger assembly

Unique Cox wear compensation sleeve to reduce wear and extend product life

Built to a high quality but with a budget price

10:1 trigger ratio for low-medium viscosity products



New designed light weight trigger assembly



Wear compensation sleeve



Cox branding for assured quality





Midiflow Cartridge

Midiflow Cartridge available for 310ml and 400ml cartridges.

Based around the highly successful professional applicator for cartridges, the Midiflow is a light weight version offering high quality but with reduced power to offer a budget product where the power of a professional applicator is not required.



Midiflow Combi for Sausages and Cartridges

Midiflow Combi is designed for 600ml sausages, 410 and 310ml cartridges and is a fully interchangeable applicator allowing the user complete flexibility between sealant systems. Using a plastic barrel combined

with the new trigger assembly this product offers considerable weight saving over the professional barrel guns and its lower thrust pressure offers high productivity for low to medium viscosity sealants.

Midiflow™

Product Range

Midiflow™ CARTRIDGE	TYPICAL USES: SEALANT ADHESIVE	Midiflow™ COMBO	TYPICAL USES: SEALANT ADHESIVE
COX Viscositor™		COX Viscositor™	
COX TriggerPower™		COX TriggerPower™	
	310/400ml		600ml
560g (310ml) 607g (400ml)	CARTRIDGE	584g (600ml)	SACHET CARTRIDGE

THE NEW MIDIFLOW RANGE



PC Cox Ltd., Turnpike Road, Newbury, Berkshire, RG14 2LR
T Sales +44 (0) 1635 264500 F +44 (0) 1635 264555 E sales@pccox.co.uk
www.pccox.co.uk

www.dichtstoffe-shop.de

©PC Cox Ltd. Cox and Electroflow are trademarks of PC Cox Ltd.
Every effort has been made to ensure that the information contained in this leaflet was correct at the time of going to press. However, this company retains the right to change any specification without notice, in line with the company's policy of continual product development.

110330-Midiflow-v1-0

COX®
The original